




Super Tower

AX1000 / AX1000 TG

User's Manual
Benutzerhandbuch
Mode d'emploi
Manual del usuario
Manuale dell'utente
Manual do Utilizador

安裝說明書
用戶手冊
ユーザーズマニュアル
Руководство пользователя
kullanıcı elkitabı
(EEE Yönetmeliğine Uygundur)
คู่มือการใช้



© 2026 Thermaltake Technology Co., Ltd. All Rights Reserved. 2026.04
All other registered trademarks belong to their respective companies. www.thermaltake.com



TT Premium



TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT Premium is far more than just a guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC hardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity to provide a high performance PC product for every enthusiast. <http://tppremium.com>

Tt LCS-Liquid Cooling Support Certification



Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardcore enthusiasts standards that a true LCS chassis should be held to. The Tt LCS certification was created so that we at Thermaltake can designate to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations to ensure you get the best performance from the best features and fitment.

Join Tt Community To Receive Benefits



Dear Valued Customer,
Thank you for choosing Thermaltake.
As a new user we value your thoughts and opinions and your feedback is important to us. We at Thermaltake would like to use this opportunity to invite you to join our Community Forums. Register today to start enjoying the full benefits of our community.



Benefits of being a member:

- Quick and responsive user support
- Receive help and advice with new builds
- Keep up to date with new product releases
- Share your thoughts and builds with the community
- Enter monthly contests and giveaways

Brand official website
<http://www.thermaltake.com/>

Global Facebook
<https://www.facebook.com/ThermaltakeInc>

Taiwan Facebook
<http://www.facebook.com/ThermaltakeTW>

Global community forums
<http://community.thermaltake.com>

CONTENTS





Chapter 1. Product Introduction: AX1000 / AX1000 TG

1.0	Specification	01
1.1	Accessory	02
1.2	Warning and Notice	03

Chapter 2. Installation Guide: AX1000 / AX1000 TG


2.0	Remove Components	09
2.1	Power Supply Unit (PSU) Installation	13
2.2	Motherboard Installation	15
2.3	HDD Installation	16
2.4	VGA Installation	19
2.5	ODD Installation	21
2.6	3.9" LCD Screen Installation	22
2.7	Pump Installation	23
2.8	Fan Support	24
2.9	AIO Radiator Support	25
2.10	DIY Radiator Support	26
2.11	I/O Connection	27
2.12	Remove Filters	28

Model	AX1000		AX1000 TG
Dimension (H*W*D)	685 x 485 x 678.3 mm (26.97 x 19.1 x 26.7 inch)		685 x 489.6 x 684 mm (26.97 x 19.28 x 26.93 inch)
Side Panel	Steel		Steel + TG
Material	SPCC		
Cooling System	-		
Dirve Bays	2 x 5.25" 24 x 3.5" or 2.5" (HDD Cage)		
Expansion Slots	10 + 10		
Motherboard-1	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX) , 12" x 13" (E-ATX) , 13.6" x 10.4" (XL-ATX) , SSI-CEB, SSI-EEB		
Motherboard-2	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX) , 12" x 13" (E-ATX) , 13.6" x 10.4" (XL-ATX) , SSI-CEB, SSI-EEB		
I/O Port	(USB 3.2 (Gen 2) Type-C x 1, USB 3.0 x 4, HD Audio x 1) x 2 set		
PSU	Standard PS2 PSU x 2 set (optional)		
Fan Support	Front Side	7 x 120 mm	7 x 140 mm
	Top Side	8 x 120 mm	8 x 140 mm
	Rear Side	2 x 120 mm	2 x 140 mm
	Bottom Side	4 x 120 mm	4 x 140 mm
	Right Side	8 x 120 mm	8 x 140 mm
AIO-Radiator Support	Front Side	1 x 360 mm (Max)	1 x 280 mm
	Top Side	2 x 360 mm (Max)	2 x 420 mm (Max)
	Rear Side	2 x 120 mm	1 x 140 mm
DIY-Radiator Support	Front Side	1 x 360 mm (Max)	1 x 280 mm
	Top Side	2 x 480 mm (Max)	2 x 560 mm (Max)
	Rear Side	1 x 120 mm	1 x 140 mm
Clearances	CPU cooler height limitation	190 mm	
	VGA length limitation	360 mm (with HDD Cage) 630 mm (without HDD Cage)	
	PSU length limitation	220 mm (with two bottom fans)	


Figure	Part Name	Q'ty	Use For
	Screw #6-32 x 6 mm	8	Power Supply
	Screw #6-32 x 6 mm	60	Motherboard / Foot stand / ODD Bracket / 3.9" LCD Front Panel
	Screw M3 x 5 mm	65	2.5" HDD / SSD
	Screw Ø5 x 10 mm	16	Case Fan
	Screw #6-32 x 6 mm	30	3.5" HDD
	Stand-off #6-32 x 6.5 mm	10	Backup
	Screw Ø3.0 x 6 mm	8	HDD tray Lock / Holder
	HDD tray Lock	2	HDD tray
	HDD tray Holder	4	HDD tray
	Nut setter	1	Motherboard Stand-off
	Buzzer	2	Motherboard Alarm
	Cable Ties	20	Cable Management
	Velcro-1 meter	2	Cable Management
	PSU Rubber stand	8	Power Supply
	VGA Bracket Rubber stand	8	VGA Bracket
	Plate Clip	8	Backup
	Fan Fixed Plate	2	Case Fan
	ODD Bracket	4	ODD
	3.5" LCD Front Panel	2	3.9" LCD Screen Kit
	Foot Stand	4	Bottom plate

Chassis dimension

AX1000




AX1000 TG




Chassis dimension



AX1000 + AX200




AX1000 TG + AX200





Motherboard compatibility: ITX / mATX / ATX /
E-ATX(12" x 13") / XL-ATX(13.5" x 10.4")





CPU cooler max height: 190mm



VGA max length: 360mm (with HDD Cage)
VGA max length: 630mm (without HDD Cage)




PSU max length: 220 mm






AX1000

Step 1




Step 2








AX1000 TG









Step 1








Step 2


























ODD installed space











Motherboard Header Diagram



AX1000



AX1000 TG

